Application No. 10/706,303 Docket No.: 20050/0200479-US0 Amendment dated August 29, 2008

Amendment dated August 29, 2008

Response to Notice of Non-Compliant Amendment

AMENDMENTS TO THE SPECIFICATION

Applicants respectfully request that the Examiner enter the substitute specification

filed May 5, 2008 following substitution into the substitute specification, where indicated

below, the following four replacement paragraphs:

(1) Applicants request that the paragraph on p. 7 of the marked-up copy of the substitute

specification of May 5, 2008, beginning with line 10 and ending on line 12, be replaced with the

following paragraph, marked up to show changes:

(4)(3) The interlabial pad according to any one of (1) to (3)(2), wherein said further

including a finger insertion restriction portion that is formed by binding two facing

portions of said opposite side face to body each other.

(2) Applicants request that the paragraph beginning on p. 3, l. 16 and ending on p. 4, l. 3

of the marked-up substitute specification of May 5, 2008 be replaced with the following paragraph,

marked up to show changes:

The above objects can be attained achieved, according to the present invention, by an

interlabial pad comprising: a structure that an interlabial pad that is fixed in such a

way that it contacts the pubic region by using dexterously-a ball of a finger having a

fineness of perception to check the fixing point[[,]], more specifically Furthermore, a

structure that having a finger insertion opening into which a finger can be inserted

4

3111089.1 0200479-US0

Application No. 10/706,303 Docket No.: 20050/0200479-US0

Amendment dated August 29, 2008

Response to Notice of Non-Compliant Amendment

while contacting a side of en-the interlabial pad opposite to the body-and a finger

insertion opening connected thereto are is provided, and a stopper to prevent further

insertion of a finger is provided in the finger insertion opening at a position eapable

of which permits the fixing of an interlabial pad effectively, allowing the pad to be

stably and smoothly fixed in the interlabial space, in order to wear an interlabial pad

to the interlabial space with a positional relationship of a finger to an interlabial pad

being stable and smoothly fix an interlabial pad to the interlabial space.

(3) Applicants request that the paragraph on p. 8, ll. 15-18 of the marked-up copy of the

substitute specification of May 5, 2008 be replaced with the following paragraph, marked up to

show changes:

(5)(4) The interlabial pad according to any one of (1) to (3),(4), wherein further

having a width dimension in said-the lateral direction of said-the finger insertion cavity that is formed to reduce gradually from said-the finger insertion opening to

said-the finger insertion restriction portion.

(4) Applicants request that the paragraph on p. 9, II. 5-8 of the marked-up copy of the

substitute specification of May 5, 2008 be replaced with the following paragraph, marked up to

show changes:

(6) The interlabial pad according to any one of (1) to (4), wherein the

interlabial pad has an-a interval dimension of between said finger insertion opening

5

3111089 1 0200479-US0

Application No. 10/706,303 Docket No.: 20050/0200479-US0

Amendment dated August 29, 2008

Response to Notice of Non-Compliant Amendment

and the finger insertion restriction portion that is 10% to 80% of the length dimension in the longitudinal direction of said opposite side face to body.